WIDA Student Data File Format

The downloaded file containing Student Test Scores is a Comma Delimited File (CSV) with the following fields in order:

Column	Field	Descriptor	Field Type (Length)	Format
A	TestCycle	WIDA Test Period	varchar(20)	
B	ISDCode	ISD Code Number	varchar(5)	99999
C	DistrictCode	School District Code Number	varchar(5)	99999
D	SchoolCode	School Code Number	varchar(5)	99999
E	FeederSchoolCode	Prior School Code Number that student attended	varchar(5)	99999
F	Grade	Student Grade	varchar(2)	99
G	LastName	Student Last Name	varchar(25)	
H	FirstName	Student First Name	varchar(25)	
I	MiddleInitial	Student Middle Initial	char(1)	
J	BirthDate	Student's Date of Birth	datetime	mm/dd/yyyy
K	Barcode	Student's Barcode Number	varchar(10)	9999999999
L	Gender	Student's Gender: M for Male and F for Female	char(1)	
M	Ethnicity	Student's Ethnic Code: 0 = Native Hawaiian or Other Pacific Islander 1 = American Indian/Alaskan Native, 3 = Black or African American, 4 = Hispanic of Any Race, 5 = White, 6 = Two or More Races, 9 = Asian	char(1)	9
N	UIC	Student's UIC	char(10)	9999999999
O	StudentNumber	Student Number From Local School District	varchar(20)	
P	Cluster	Grade band of students: 0 = Grade K, 1 = Grades 1-2, 3 = Grades 3-5, 6 = Grades 6-8, 9 = Grades 9-12	char(1)	9
Q	Tier	ACCESS: A, B, C, dash for kindergarten Alternate ACCESS: T	char(1)	
R	YearsSchooling	Number of years student has been in U.S. schools	varchar(2)	99
S	EnrollmentDate	Student's date of enrollment at current school	datetime	mm/dd/yyyy
T	AssessmentDate	Date that student completed WIDA test	datetime	mm/dd/yyyy
U	ED	Economically Disadvantaged: (1 = Yes, 0 = No)	char(1)	
V	SE	Special Education: (1 = Yes, 0 = No)	char(1)	

W	LEP	Limited English Proficiency: (1 = Yes, 0 = No)	char(1)	
X	MS	Migrant Status: (1 = Yes, 0 = No)	char(1)	
Y	FLEP	Formerly Limited English Proficient: (1 = Yes, 0 = No)	char(1)	
Z	Homeless	Homeless: (1 = Yes, 0 = No)	char(1)	
AA	HomeSchool	Home Schooled: (1 = Yes, 0 = No) If a student is home schooled in any subject then a student is considered home schooled.	char(1)	
AB	LTFAY	Less Than Full Academic Year: (1 = Yes, 0 = No) Student attended current school for less than a full academic year.	char(1)	
AC	NativeLanguage	Native Language Code 1 = Albanian, 2 = Arabic, 3 = Bengali, 4 = Chaldean, 5 = Chinese, 6 = English, 7 = Hmong, 8 = Japanese, 9 = Other, 10 = Serbo-Croatian, 11 = Spanish, 12 = Vietnamese	varchar(2)	
AD	OutOfLevel	Student was tested out of level: (1 = Yes, 0 = No)	char(1)	
AE	AudioAmplification	Audio Amplification Device or Noise Buffer (AA) Y = Yes, or N = No or Blank	char(1)	
AF	Braille	Braille test or writer (BR) Y = Yes, or N = No or Blank	char(1)	
AG	LargePrint	Large Print Booklet (LP) Y = Yes, or N = No or Blank	char(1)	
AH	Magnification	Magnification or Low Vision aids (LV) Y = Yes, or N = No or Blank	char(1)	
AI	ComputerAssisted	Computer Assisted (CA) Y = Yes, or N = No or Blank	char(1)	
AJ	ModifiedPresentation	Modified Presentation Format (PF) Y = Yes, or N = No or Blank	char(1)	
AK	Scribe	Scribe (SB) Y = Yes, or N = No or Blank	char(1)	
AL	SettingFormat	Setting Format (SF) Y = Yes, or N = No or Blank	char(1)	
AM	ModifiedTestDirections	Modified Test Directions (TD) Y = Yes, or N = No or Blank	char(1)	
AN	ModifiedTiming	Modified Timing/Scheduling (TS) Y = Yes, or N = No or Blank	char(1)	
AO	OtherAccommodation	Other Approved Accommodation (OA) Y = Yes, or N = No or Blank	char(1)	
AP	BookletSerialNumber	Scored Booklet Serial Number	varchar(10)	
AQ	ScoringCenterUse	MetriTech Unique Student Identifier	varchar(8)	99999999
AR	FormNumber	Unique ACCESS form Identifier	varchar(6)	999999

AS	ListeningProficiencyLevel	<u>ACCESS:</u> 1.0 through 6.0 or NA <u>Alternate ACCESS:</u> A1, A2, A3, P1, P2 or NA	varchar(3)	
AT	SpeakingProficiencyLevel	<u>ACCESS:</u> 1.0 through 6.0 or NA <u>Alternate ACCESS:</u> A1, A2, A3, P1, P2 or NA	varchar(3)	
AU	ReadingProficiencyLevel	<u>ACCESS:</u> 1.0 through 6.0 or NA <u>Alternate ACCESS:</u> A1, A2, A3, P1, P2 or NA	varchar(3)	
AV	WritingProficiencyLevel	<u>ACCESS:</u> 1.0 through 6.0 or NA <u>Alternate ACCESS:</u> A1, A2, A3, P1, P2, P3 or NA	varchar(3)	
AW	ComprehensionProficiencyLevel	<u>ACCESS:</u> 1.0 through 6.0 or NA <u>Alternate ACCESS:</u> A1, A2, A3, P1, P2 or NA	varchar(3)	
AX	OralProficiencyLevel	<u>ACCESS:</u> 1.0 through 6.0 or NA <u>Alternate ACCESS:</u> A1, A2, A3, P1, P2 or NA	varchar(3)	
AY	LiteracyProficiencyLevel	<u>ACCESS:</u> 1.0 through 6.0 or NA <u>Alternate ACCESS:</u> A1, A2, A3, P1, P2 or NA	varchar(3)	
AZ	CompositeProficiencyLevel	<u>ACCESS:</u> 1.0 through 6.0 or NA <u>Alternate ACCESS:</u> A1, A2, A3, P1, P2 or NA	varchar(3)	
BA	ListeningValid	Listening Valid Test: (1 = Yes, 0 = No)	char(1)	
BB	ListeningProhibitedBehavior	Listening Prohibited Behavior: (1 = Yes, 0 = No)	char(1)	
BC	ListeningScaleScore	<u>ACCESS:</u> 100 through 600 or NA <u>Alternate ACCESS:</u> 910 through 960 or NA	varchar(3)	
BD	ListeningConfidenceHighScore	High End of Score Confidence Range <u>ACCESS:</u> 100 through 600 or NA <u>Alternate ACCESS:</u> 910 through 960 or NA	varchar(3)	
BE	ListeningConfidenceLowScore	Low End of Score Confidence Range <u>ACCESS:</u> 100 through 600 or NA <u>Alternate ACCESS:</u> 910 through 960 or NA	varchar(3)	
BF	SpeakingValid	Speaking Valid Test: (1 = Yes, 0 = No)	char(1)	
BG	SpeakingProhibitedBehavior	Speaking Prohibited Behavior: (1 = Yes, 0 = No)	char(1)	
BH	SpeakingSIRawScore	<u>ACCESS only:</u> 0 through 3, X If not applicable	char(1)	

BI	SpeakingLASSRawScore	ACCESS only: 0 through 5, X If not applicable	char(1)	
BJ	SpeakingMathScienceRawScore	ACCESS only: 0 through 5, X If not applicable	char(1)	
BK	SpeakingScaleScore	ACCESS: 100 through 600 or NA Alternate ACCESS: 910 through 960 or NA	varchar(3)	
BL	SpeakingConfidenceHighScore	High End of Score Confidence Range ACCESS: 100 through 600 or NA Alternate ACCESS: 910 through 960 or NA	varchar(3)	
BM	SpeakingConfidenceLowScore	Low End of Score Confidence Range ACCESS: 100 through 600 or NA Alternate ACCESS: 910 through 960 or NA	varchar(3)	
BN	ReadingValid	Reading Valid Test: (1 = Yes, 0 = No)	char(1)	
BO	ReadingProhibitedBehavior	Reading Prohibited Behavior: (1 = Yes, 0 = No)	char(1)	
BP	ReadingScaleScore	ACCESS: 100 through 600 or NA Alternate ACCESS: 910 through 960 or NA	varchar(3)	
BQ	ReadingConfidenceHighScore	High End of Score Confidence Range ACCESS: 100 through 600 or NA Alternate ACCESS: 910 through 960 or NA	varchar(3)	
BR	ReadingConfidenceLowScore	Low End of Score Confidence Range ACCESS: 100 through 600 or NA Alternate ACCESS: 910 through 960 or NA	varchar(3)	
BS	WritingValid	Writing Valid Test: (1 = Yes, 0 = No)	char(1)	
BT	WritingProhibitedBehavior	Writing Prohibited Behavior: (1 = Yes, 0 = No)	char(1)	
BU	WritingSocialInstructionalScores	ACCESS: 0 through 24 for Linguistic Control, Vocabulary Usage and Language Control, X If not applicable	varchar(6)	
BV	WritingLanguageArtsScores	ACCESS: 0 through 6 for Linguistic Control, Vocabulary Usage and Language Control, X If not applicable	varchar(6)	
BW	WritingMathScienceScores	ACCESS: 0 through 6 for Linguistic Control, Vocabulary Usage and Language Control, X If not applicable	varchar(6)	
BX	WritingLanguageArtsSocialStudies Scores	ACCESS: 0 through 6 for Linguistic Control, Vocabulary Usage and Language Control, X If not applicable	varchar(6)	

BY	WritingScaleScore	ACCESS: 100 through 600 or NA Alternate ACCESS: 910 through 960 or NA	varchar(3)	
BZ	WritingConfidenceHighScore	High End of Score Confidence Range ACCESS: 100 through 600 or NA Alternate ACCESS: 910 through 960 or NA	varchar(3)	
CA	WritingConfidenceLowScore	Low End of Score Confidence Range ACCESS: 100 through 600 or NA Alternate ACCESS: 910 through 960 or NA	varchar(3)	
CB	ComprehensionScaleScore	Comprehension Scale Score = 0.7 Reading Scale Score + 0.3 Listening Scale Score ACCESS: 100 through 600 or NA Alternate ACCESS: 910 through 960 or NA	varchar(3)	
CC	ComprehensionSIRawScore	ACCESS only: Items Correct by Standard 0 to maximum for the grade and tier, X If not applicable	varchar(2)	
CD	ComprehensionLARawScore	ACCESS only: Items Correct by Standard 0 to maximum for the grade and tier, X If not applicable	varchar(2)	
CE	ComprehensionMathRawScore	ACCESS only: Items Correct by Standard 0 to maximum for the grade and tier, X If not applicable	varchar(2)	
CF	ComprehensionScienceRawScore	ACCESS only: Items Correct by Standard 0 to maximum for the grade and tier, X If not applicable	varchar(2)	
CG	ComprehensionSSRawScore	ACCESS only: Items Correct by Standard 0 to maximum for the grade and tier, X If not applicable	varchar(2)	
CH	ComprehensionConfidenceHighScore	High End of Score Confidence Range ACCESS: 100 through 600 or NA Alternate ACCESS: 910 through 960 or NA	varchar(3)	
CI	ComprehensionConfidenceLowScore	Low End of Score Confidence Range ACCESS: 100 through 600 or NA Alternate ACCESS: 910 through 960 or NA	varchar(3)	
CJ	OralScaleScore	Oral Scale Score = 0.5 Listening Scale Score + 0.5 Speaking Scale Score ACCESS: 100 through 600 or NA Alternate ACCESS: 910 through 960 or NA	varchar(3)	

CK	OralConfidenceHighScore	High End of Score Confidence Range ACCESS: 100 through 600 or NA Alternate ACCESS: 910 through 960 or NA	varchar(3)	
CL	OralConfidenceLowScore	Low End of Score Confidence Range ACCESS: 100 through 600 or NA Alternate ACCESS: 910 through 960 or NA	varchar(3)	
CM	LiteracyScaleScore	Literacy Scale Score = 0.5 Reading Scale Score + 0.5 Writing Scale Score ACCESS: 100 through 600 or NA Alternate ACCESS: 910 through 960 or NA	varchar(3)	
CN	LiteracyConfidenceHighScore	High End of Score Confidence Range ACCESS: 100 through 600 or NA Alternate ACCESS: 910 through 960 or NA	varchar(3)	
CO	LiteracyConfidenceLowScore	Low End of Score Confidence Range ACCESS: 100 through 600 or NA Alternate ACCESS: 910 through 960 or NA	varchar(3)	
CP	CompositeScaleScore	Composite Scale Score = 0.35 Reading Scale Score + 0.35 Writing Scale Score + 0.15 Listening Scale Score + 0.15 Speaking Scale Score ACCESS: 100 through 600 or NA Alternate ACCESS: 910 through 960 or NA	varchar(3)	
CQ	CompositeConfidenceHighScore	High End of Score Confidence Range ACCESS: 100 through 600 or NA Alternate ACCESS: 910 through 960 or NA	varchar(3)	
CR	CompositeConfidenceLowScore	Low End of Score Confidence Range ACCESS: 100 through 600 or NA Alternate ACCESS: 910 through 960 or NA	varchar(3)	
CS	ScribedStudentResponse	Scribed Student Response (SSR) - asked between Writing Task 8 and 9 Alternate ACCESS only: Y = Yes, or N = No or Blank	char(1)	
CT	ListeningNumberCorrectResponses	Listening Number of Correct Responses Alternate ACCESS only: 0 through 9	varchar(2)	
CU	ListeningCueANumberCorrect	Listening Cue A Number Correct Alternate ACCESS only: 0 through 9	varchar(2)	
CV	ListeningCueAPercentCorrect	Listening Cue A Percent Correct Alternate ACCESS only: 0 through 100	varchar(3)	

CW	ListeningCueBNumberCorrect	Listening Cue B Number Correct Alternate ACCESS only: 0 through 9	varchar(2)	
CX	ListeningCueBPercentCorrect	Listening Cue B Percent Correct Alternate ACCESS only: 0 through 100	varchar(3)	
CY	ListeningCueCNumberCorrect	Listening Cue C Number Correct Alternate ACCESS only: 0 through 9	varchar(2)	
CZ	ListeningCueCPercentCorrect	Listening Cue C Percent Correct Alternate ACCESS only: 0 through 100	varchar(3)	
DA	ReadingNumberCorrectResponses	Reading Number of Correct Responses Alternate ACCESS only: 0 through 9	varchar(2)	
DB	ReadingCueANumberCorrect	Reading Cue A Number Correct Alternate ACCESS only: 0 through 9	varchar(2)	
DC	ReadingCueAPercentCorrect	Reading Cue A Percent Correct Alternate ACCESS only: 0 through 100	varchar(3)	
DD	ReadingCueBNumberCorrect	Reading Cue B Number Correct Alternate ACCESS only: 0 through 9	varchar(2)	
DE	ReadingCueBPercentCorrect	Reading Cue B Percent Correct Alternate ACCESS only: 0 through 100	varchar(3)	
DF	ReadingCueCNumberCorrect	Reading Cue C Number Correct Alternate ACCESS only: 0 through 9	varchar(2)	
DG	ReadingCueCPercentCorrect	Reading Cue C Percent Correct Alternate ACCESS only: 0 through 100	varchar(3)	
DH	CreatedDate	Scores data load date	datetime	mm/dd/yyyy
DI	ModifiedDate	Scores data load modification date	datetime	mm/dd/yyyy

Modification Log:
May 2014: Initial version